



129/81

**Maharashtra Water Resources
Regulatory Authority
(MWRRA)**

महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण

9th Floor, Centre-1, World Trade Centre, Cuffe Parade, Mumbai - 400 005. Tel : 2215 2019 • Fax : 2215 3765

Email : mwrta@mwrta.org

File No: MWRRA/2009/PRCL/VIDC/13-6MI/337

Date : 22/07/2009

Revised

To,
Chief Engineer (S.P.),
Water Resources Department,
Sinchan Seva Bhavan, Shivaji Nagar,
Camp, Amravati - 444 603.

Sub : No objection for processing for environmental clearance and keeping on shelf by MWRRA to the Dhamangaon-Deo (M.I.) Storage Tank in VIDC, Nagpur

Ref : १) मु.अ. (वि.प्र.) जलसंपदा विभाग, अमरावती यांचे पत्र क्र.
१५२२/२००९ दिनांक ३०/०३/२००९

2) C.E. (SP) WRD, Amravati's letter no. 1780/ TS-4/
09 dated 20/04/2009


3) MWRRA's letter no. MWRRA/2009/PRCL/
VIDC/ 13-6MI/158 dated 01/06/2009

With reference to MWRRA's letter under Ref no. 3 above regarding above cited subject, please read the revised letter as below,


- 1.00 The Project Dhamangaon-Deo (M.I.) Storage Tank, Taluka Darwaha, District Yavatmal in Painganga sub-basin of Godavari basin was received for clearance by MWRRRA under Section 11 (f) of the Act, vide Ref No. - 1.
- 2.00 There is no financial backlog in Yavatmal District as on 01/04/2009. The balance irrigation backlog of June 1994 in Yavatmal District as on June 2007 is 32,260 ha in SRE. This Project will create additional potential in SRE of about 702 ha if it is implemented.
- 3.00 C.E. (SP) WRD, Amravati vide its letter at Ref No. - 2, informed that in Yavatmal District around 2,25,000 ha (3,87,000 ha in SRE) irrigation potential will be created through ongoing projects excluding local sector. This is more than adequate to remove the backlog on their completion. Hence no new irrigation project need be taken up in Yavatmal District.
- 4.00 The project presently meets the required techno-economic norms relating to hydrology, B/C ratio and cost per TCM of gross storage.
- 5.00 Environmental clearance is required for this project as per Notification of Ministry of Environment and Forests, Government of India, September 2006. The environmental angle clearance may be obtained from Competent Authority as stipulated by MoEF.
- 6.00 It is presumed that this project does not involve diversion of forest land. A certificate to this effect needs to be furnished from concerned Forest Dept.
- 7.00 The MWRRRA is pleased to convey its No objection to VIDC, Nagpur vide Para - 30 and 40 of Hon. Governor's directives for the annual plan 2009 - 10, to the extent that this project is given Administrative Approval along with necessary budget provision for purpose of obtaining statutory clearance i.e. environment and forest clearance. Thereafter the project may be kept on shelf till April 2010 when districtwise backlog will come up for review.

8.00 If on completion of the review, the need for this project established, the project may be resubmitted to MWRRA with revised techno-economic viability with reference to updated cost & compliance of condition mentioned in Para 5 and 6 above for according clearance under Section 11 (f) of the MWRRA Act, 2005 before implementation of this project.

कलसकता विभागा, मन्त्रालय मुम्बई
निर्माण केठे
दिनांक : 23/01/09
स्वाक्षरी : 2


(S.V. Sodal)
Secretary

Copy forwarded to :

- 
23/01/09
- 1) Secretary (WR), WRD, Mantralaya, Mumbai.
 - 2) Executive Director, Vidarbha Irrigation Development Corporation (VIDC), Sinchan Seva Bhavan, Civil Lines, Nagpur - 440 001.