



37
14

**Maharashtra Water Resources
Regulatory Authority
(MWRRA)**

महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण

9th Floor, Centre-1, World Trade Centre, Cuffe Parade, Mumbai - 400 005. Tel : 2215 2019 • Fax : 2215 3765

Email : mwrrea@mwrrea.org

File No: MWRRA/2008/PRCL/GMIDC/Saigavan/164

Date : 04/06/2009

To,
Chief Engineer (W.R.),
Water Resources Department,
Sinchan Bhavan, Jalna Road,
Aurangabad - 431 005.

**Sub : No Objection for processing for environmental clearance
and keeping on shelf to Saigavan (M.I.) Storage Tank in
Aurangabad District under GMIDC, Aurangabad**

Ref : १) मु.अ.(जलसंपदा) जलसंपदा विभाग, औरंगाबाद यांचे पत्र क्र. मुअजसविऔ
/सायगव्हाण सा.त./तां - ४/६५२७, दिनांक २१/०७/२००८

2) C.E. (WR) WRD, Aurangabad's letter No. CE (WR)
A'bad/Saighavan S.T./T-4/9038/DA, dated 29/09/2009

- 1.00 The Project Saigavan (MI) Storage Tank, Taluka Kannad, District Aurangabad in Girna sub-basin of Tapi basin was received for clearance by MWRRA under Section 11 (f) of the Act, vide Ref - 1.
- 2.00 There is no financial backlog in Aurangabad District as on 01/04/2009. The irrigation backlog of June 1994 in Aurangabad District was removed by June 2007 when the irrigation potential was 37.99 % and by June 2008, 40.59 % irrigation potential created with respect to its net sown area, which is more than 35.11 % State average of 1994. Hence there is no need to take up new irrigation projects in Aurangabad District.

- 3.00 The project presently meets the required techno-economic norms relating to hydrology, B/C ratio and within Cost per TCM norms for M.I. Tank.
- 4.00 Environmental clearance is required for this project as per Notification of Ministry of Environment and Forests, Government of India, September 2006. The environmental angle clearance may be obtained from Competent Authority as stipulated by MoEF.
- 5.00 It is presumed that this project do not involve diversion of forest land. A certificate to this effect needs to be furnished from concerned Forest Department.
- 6.00 The MWRRA is pleased to convey its No objection for GMIDC, Aurangabad to process for environmental clearance. Thereafter the project may be kept on shelf till April 2010 when districtwise backlog will come up for review.
- 7.00 If on completion of the review, the need for this project established, the project may be resubmitted to MWRRA with revised techno-economic viability with reference to updated cost & compliance of condition mentioned in Para 4 and 5 above for according clearance under Section 11 (f) of the MWRRA Act, 2005 before implementation of this project.

गुडरावरा वलरार, वनरालय वुनर
नरररररर कररर
वलरररर : 21/6/08
वुनरररर

o/c
(S.V. Sodal) 4/6
Secretary

Copy forwarded to :

- 1) Secretary (WR), WRD, Mantralaya, Mumbai. 21/6/08
- 2) Executive Director, Godavari Marathawada Irrigation Development Corporation (GMIDC), 1st Floor, Sinchan Bhavan, Jalana Road, Aurangabad - 431 005.