

**Maharashtra Water Resources
Regulatory Authority
(MWRRA)**

महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण

9th Floor, Centre-1, World Trade Centre, Cuffe Parade, Mumbai - 400 005.
Tel : 2215 2018 / 2215 2019 • Fax : 2215 3765

File No: MWRRA/2008/PRCL/VIDC/Tapal/1081

Date : 22/01/2008

**Clearance to Tapal L.I.S.
in Chandrapur District of
C.E., Nagpur under VIDC,
Nagpur by MWRRA vide
Section 11 (f) of the Act.**

- Ref : 1) C.E. Nagpur's Letter No. ४७७७/नातां ४/तपाळ उंसियो/०७/
दिनांक २०/१२/२००७
- 2) E.D. VIDC, Nagpur Letter No. 03/VIDC/KT-6/
MWRRA/07 dated 02/01/2008
- 3) C.E. Nagpur's Fax dated 16/01/2008

AUTHORITY MEMORANDUM

1.00 Section 11 (f) of the MWRRA Act (Act No.XVIII of 2005) reads as below:

“To review and clear water resources projects proposed at the sub-basin and river basin level to ensure that a proposal is in conformity with Integrated State Water Plan and also with regard to the economic, hydrologic and environmental viability and where relevant, on the State's obligations under Tribunals, Agreements, or Decrees involving interstate Entitlements:

Provided that, while clearing the new water resources projects by the concerned for construction proposed by River Basin Agencies, the Authority shall ensure that Governor's Directives issued from time to time, relating to investment priority for removal of regional imbalance are strictly observed;

Provided further that, in respect of the projects situated in Marathwada and Vidarbha Regions, the powers to accord administrative approval or revised administrative approval, under this clause, shall in accordance with the Governor's directives, be exercised by the concerned River Basin Agency”.

- 2.00 Tapal Lift Irrigation scheme Taluka Bramhpuri District Chandrapur, in Remaining Wainganga sub basin of Godavari Basin was received for clearance by MWRRA under above mentioned Section of the Act, vide Ref (i) above.
- 3.00 (i) Tapal LIS has been cleared by CE, Hydrology Project, Nasik, for water availability.
(ii) The BC ratio is more than 1.5 and project is in backlog area.
(iii) The project has a total potential of 9,306 ha. SRE against total backlog of 50,250 ha of Chandrapur District in SRE in June 1994.
- 4.00 Environmental clearance is required for these projects as per Notification of Ministry of Environment & Forests, Government of India, September 2006 and may be obtained from State Level Committee as per the stipulation in the MoEF's Notification as above. It is presumed that this project does not involve diversion of forest land. A certificate to this effect needs to be furnished to the Authority.
- 5.00 The MWRRA is, therefore, pleased to accord clearance to the above project under Sec.11 (f) of the MWRRA Act as per salient features appended herewith.
- 6.00 This clearance is issued under reference No 15 dated 22/01/2008 and is registered under No. MWRRA / 2007 / FRCL / VIDC / Tapal / 1081 dated 22/01/2008 in the office of the Authority.
- 7.00 The Receipt of this Memorandum may please be acknowledged.

अकल्पना विभाग, मंत्रालय, मुंबई
निर्देशित केले
दिनांक : 22/01/08
स्थानीय : 16-55

b.o/c
(S.V. Sodal)
Secretary, MWRRA

Encl : One Abstract Sheet

- Copy forwarded to : 1) Secretary (WR), WRD, Mantralaya, Mumbai.
2) Executive Director, Vidarbha Irrigation Development Corporation (VIDC), Nagpur.
3) Chief Engineer, Water Resources Department, Sinchan Seva Bhavan, Civil Lines, Nagpur (extra copy of P.S. enclosed)

Clearance by MWRRRA to Tapal Lift Irrigation Scheme in VIDC, Nagpur

Sr No	Name of Project/ Taluka/ District	Catchment Area SqKm.	Basin/ Sub-basin	Annual Utilisation Mainly for Irrigation in Mm ³	Length of Rising Main in m	PUMP				I.C.A. Ha	Cost in Lakh	B/C Ratio	Whether Project lies in Backlog in District or otherwise	Remarks
						Static Head in m	Frictional Loss in m	Total Design Head in m	Power in HP					
1	2	3	4	5	9	6	7	8	10	11	12	13	14	15
1	Tapal Lift Irrigation Scheme Taluka Bramhpuri District Chandrapur	381.091	Godavari/ Remain ing Wain Ganga	30.604	2,520	22.85	4.44	27.79	3 x 380	6,600	4091.91	2.95	Yes	Water Clearance by C.E, NHP, Nasik