

**Maharashtra Water Resources
Regulatory Authority
(MWRRA)**

महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण

9th Floor, Centre-1, World Trade Centre, Cuffe Parade, Mumbai - 400 005.

Tel : 2215 2018 / 2215 2019 • Fax : 2215 3765

File No: MWRRA/2008/PRCL/VIDC/Dahegaon/1337

Date : 22/05/2008

**Clearance to Dahegaon (Gargoti)
M.I. Tank in Vidarbha Irrigation
Development Corporation
(VIDC), Nagpur, by MWRRA
under Sec.11 (f) of the Act.**

- Ref :** 1) E.D., VIDC's Letter No. जा.क्र.१८०२/विपाविम/का.तां.५
/(२१/२००७)/२००८ दिनांक १५/०४/२००८
2) अ.अ. अकोला पाटबंधारे मंडळ, अकोला यांचे पत्र क्र.९६४/तां ५/
दहेगांव गारगोटी/यवतमाळ दिनांक ०५/०५/२००८

जलसंपत्ती विभाग, महाराष्ट्र मुंबई
निर्दिष्टित डेडी

दिनांक : 23/5
स्वाक्षर : 9-0

AUTHORITY MEMORANDUM

1.00 Section 11 (f) of the MWRRA Act (Act No.XVIII of 2005) reads as below:

“To review and clear water resources projects proposed at the sub-basin and river basin level to ensure that a proposal is in conformity with Integrated State Water Plan and also with regard to the economic, hydrologic and environmental viability and where relevant, on the State's obligations under Tribunals, Agreements, or Decrees involving interstate Entitlements:


Provided that, while clearing the new water resources projects by the concerned for construction proposed by River Basin Agencies, the Authority shall ensure that Governor's Directives issued from time to time, relating to investment priority for removal of regional imbalance are strictly observed;


Provided further that, in respect of the projects situated in Marathwada and Vidarbha Regions, the powers to accord administrative approval or revised administrative approval, under this clause, shall in accordance with the Governor's directives, be exercised by the concerned River Basin Agency”.

2.00 Dahegaon (Gargoti) M.I. Tank, Taluka Ralegaon, District Yeotmal, in Wardha sub basin of Godavari Basin is received for clearance by MWRRA under above mentioned Section of the Act, vide Refs No. 1.

- 3.00 (i) Dahegaon (Gargoti) M.I. Tank has been cleared by CE, Hydrology Project, Nasik, for water availability.
(ii) The BC ratio is more than 1 and project is in backlog area.
(iii) The project has a total potential of 684 ha. SRE against total irrigation back log in District Yeotmal as on June 1994 is 1,45,640 ha in SRE and on June 2006 is 51,680 ha in SRE.
- 4.00 Environmental clearance is required for this project as per Notification of Ministry of Environment & Forests, Government of India, September 2006. The environmental angle clearance may be obtained from State Level Committee as per the stipulation in the MoEF's Notification as above.
- 5.00 Environmental clearance is required for this project as per Notification of Ministry of Environment & Forests, Government of India, September 2006 even this project is categorised under minor irrigation project. The environmental angle clearance may be obtained from State Level Committee as per the stipulation in the MoEF's Notification as above. It is presumed that this project does not involve diversion of forest land. A certificate to this effect needs to be furnished to the Authority.
- 6.00 The MWRRA is, therefore, pleased to accord clearance to this project under Sec.11 (f) of the MWRRA Act as per salient features appended herewith.
- 7.00 This clearance is issued under reference No. 19 dated 22/05/2008 and is registered under No. MWRRA / 2008 / PRCL / VIDC / Dahegaon /1337 dated 22/05/2008 in the office of the Authority.
- 8.00 The Receipt of this Memorandum may please be acknowledged.

Encl : One Abstract Sheet


(S.V. Sodal)
Secretary, MWRRA

- Copy forwarded to : 1) Secretary (WR), WRD, Mantralaya, Mumbai. 
2) Executive Director, Vidarbha Irrigation Development Corporation (VIDC), Sinchan Seva Bhavan, Civil Lines, Nagpur – 440 001.
3) Chief Engineer, Water Resources Department, Sinchan Seva Bhavan, Civil Lines, Nagpur – 440 001

Clearance by MWRRRA to Dahegaon (Gargoti) M.I. Tank in VIDC, Nagpur

Sr No	Name of Project/ Taluka/ District	Catchment Area Sq Km.	Basin/ Sub-basin	Annual Utilisation in Mm ³				I.C.A. Ha	Cost in Lakh	Cost/ T.C.M	Govt. yardstick Cost / T.C.M.	B/C Ratio	Whether Project lies in Backlog District or otherwise	Remarks	
				Irrigation	Drinking	Industry	Evaporation								Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	Dahegaon (Gargoti) M.I. Tank, Taluka Rahegaon, District Yeotmal	14.49	Goda vari / Wardha	2.0078	0.35	Nil	0.6215	2.9793	393	1,275.75	36,263	36,279	1.062	Yes	Water Clearance by C.E, NHP, Nasik