

**Maharashtra Water Resources
Regulatory Authority
(MWRRA)**

महाराष्ट्र जलसंपत्ती नियमन प्राधिकरण

9th Floor, Centre-1, World Trade Centre, Cuffe Parade, Mumbai - 400 005.
Tel : 2215 2018 / 2215 2019 • Fax : 2215 3765

File No: MWRRA/2008/PRCL/VIDC/1Y2W/1436

Date : 05/07/2008

**Clearance to the 3 M.I. under
Vidarbha Irrigation
Development Corporation
(VIDC), Nagpur, by MWRRA
under Sec.11 (f) of the Act.**

Ref : १) का.सं. यांचे पत्र क्र. २८३३/विपाविम/ का.तां ५/(२१/२००८/
२००८ दिनांक २३/०६/२००८

AUTHORITY MEMORANDUM

1.00 Section 11 (f) of the MWRRA Act (Act No.XVIII of 2005) reads as below:

“To review and clear water resources projects proposed at the sub-basin and river basin level to ensure that a proposal is in conformity with Integrated State Water Plan and also with regard to the economic, hydrologic and environmental viability and where relevant, on the State's obligations under Tribunals, Agreements, or Decrees involving interstate Entitlements:

Provided that, while clearing the new water resources projects by the concerned for construction proposed by River Basin Agencies, the Authority shall ensure that Governor's Directives issued from time to time, relating to investment priority for removal of regional imbalance are strictly observed;

Provided further that, in respect of the projects situated in Marathwada and Vidarbha Regions, the powers to accord administrative approval or revised administrative approval, under this clause, shall in accordance with the Governor's directives, be exercised by the concerned River Basin Agency”.

P.T.O.

2.00 3 – Minor Irrigation Schemes viz at Sr. No. (a) to (c) in Godavari basin in Amravati Division were received for clearance by MWRRA under above mentioned Section of the Act, vide above Reference.

- (a) Kharbi M.I. Tank, Taluka Ner, District Yavatmal
- (b) Yeota M.I. Tank Taluka Karanja, District Washim
- (c) Gaiwal M.I. Tank Taluka Karanja, District Washim

3.00 (i) Projects at Sr. No. (a) to (c) have been cleared by CE, WRD, Nagpur for water availability.

(ii) The BC ratio is more than 1 and projects are in backlog area.

(iii) These Projects are within prescribed cost norms in terms of Rs / 1000 cu.m. of Gross Storage.


(iv) Project at Sr. No. (a) is in Yavatmal District, which is a back log district and the irrigation back log as on June 1994 is 1,45,640 ha in SRE and balance backlog of June 1994 as on June 2006 is 51,680 ha in SRE. This project has a total potential in SRE of 532 ha.

(v) Projects at Sr. No. (b) & (c) are in Washim District, which is a back log district and the irrigation back log in Akola District (including Washim District) as on June 1994 is 1,77,280 ha in SRE and balance backlog of June 1994 as on June 2006 is 1,16,950 ha in SRE. The above 3 projects has a total potential in SRE of 1,121 ha.


4.00 Environmental clearance is required for these projects as per Notification of Ministry of Environment & Forests, Government of India, September 2006 even these projects are categorised under minor irrigation project. The environmental angle clearance may be obtained from State Level Committee as per the stipulation in the MoEF's Notification as above.

5.00 Kharbi M.I. Tank involves diversion of 3.04 ha forest land. A certificate from MoEF needs to be furnished. It is presumed that other two projects do not involve diversion of forest land. A certificate to this effect needs to be furnished from Forest Dept.


- 6.00 The MWRRA is, therefore, pleased to accord clearance to these projects under Sec.11 (f) of the MWRRA Act as per salient features appended herewith.
- 7.00 This clearance is issued under reference No. 28 dated 05/07/2008 and is registered under No. MWRRA / 2008 / PRCL / VIDC / 1Y2W / 1436 dated 05/07/2008 in the office of the Authority.
- 8.00 The Receipt of this Memorandum may please be acknowledged.


(S.V. Sodal)
Secretary, MWRRA

Encl : Abstract Sheet


4/6/08

- Copy forwarded to :
- 1) Secretary (WR), WRD, Mantralaya, Mumbai.
 - 2) Executive Director, Vidarbha Irrigation Development Corporation (VIDC), Sinchan Seva Bhavan, Civil Lines, Nagpur.
 - 3) Chief Engineer, Water Resources Department, Sinchan Seva Bhavan, Civil Lines, Nagpur.

अवकाशवादी विभाग, मंत्रालय, मुंबई
निर्गमित केले
दिनांक : 05/07/08
स्वाक्षरी : 

Clearance by MWRRRA to 3 M.I. Tank (Storage) in VIDC, Nagpur

Sr. No.	Name of Project/ Taluka/ District	Catchment Area Sq Km.	Basin/ Sub-basin	Annual Utilisation in Mm ³				I.C.A. Ha	Cost in Lakh	Cost / T.C.M	Govt. yard-stick Cost / T.C.M.	B/C Ratio	Whether Project lies in Backlog District or otherwise	Remarks	
				Irrigation	Drinking	Industry	Evaporation								Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	Kharbi M.I. Tank, Taluka Ner, District Yavatmal	12.155	Goda vari / Pain ganga	1.2559	0.21	Nil	0.5602	2.0242	306	650.67	29,008	29,023	1.77	Yes	Water Clearance by C.E, WRD, Nagpur
2	Yeota M.I. Tank Taluka Karanja, District Washim	9.73	Goda vari / Wardha	1.4336	0.25	Nil	0.5988	2.2824	377	689.23	28,844	29,023	1.15	Yes	Water Clearance by C.E, WRD, Nagpur
3	Gaiwal M.I. Tank Taluka Karanja, District Washim	8.3175	Goda vari / Pain ganga	1.2815	0.22	Nil	0.4497	1.9512	337	632.34	28,994	29,023	1.13	Yes	Water Clearance by C.E, WRD, Nagpur